



## Quick Startup Guide




0 0 1 0 8 2 0 2 8



# SCUBA Series


$0 \div 40^{\circ}\text{C}$ ( $32 \div 104^{\circ}\text{F}$ )		
<b>NaCl</b> $\leq 200$ ppm @ $20^{\circ}\text{C}$ ( $68^{\circ}\text{F}$ )		





TYPE	1SC	1SC	1SC
Code	1SC	1SC	1SC
SI	m	m	m
SI	m	m	m
SI	m	m	m
SI	m	m	m
SI	m	m	m
SI	m	m	m
SI	m	m	m
SI	m	m	m
SI	m	m	m
SI	m	m	m
SI	m	m	m
SI	m	m	m
SI	m	m	m

1SC	$\leq 1$ mm (0.04 in)	$\leq 25$ g/m <sup>3</sup>
3SC 5SC 8SC	$\leq 2$ mm (0.08 in)	


1a




1b




2









3





i







4a



4b





<http://lowara.com/pumps-circulators/submersible-borehole-pumps/scuba-close-coupled-submersible-pumps/#product-tab-literature>

# Xylem |'zīləm|

HYDROLYS.FER



Xylem Service Italia S.r.l.  
Via Vittorio Lombardi 14  
Montecchio Maggiore (VI) 36075  
Italy

© 2018 Xylem, Inc.

Cod.001082028 rev.B ed.03/2019