

Wilo-RAIN3








de Quick Start Guide







en Quick Start Guide







fr Quick Start Guide

nl Quick Start Guide













7







8



i



$\text{---} > 20 \text{ m}$
$\varnothing < 1'' / 32 \times 3$












9




i




10




11




12




13



14




15




16


1~230 V / 50 Hz




17





18






i Navigation im Menü
Menu Navigation
Navigation dans le menu
Menu navigatie





i Einstellung Parameter
Parameter Setting
Réglage des paramètres
Parameterinstelling






19 Auswahl Menüsprache
Menu language selection
Sélection de la langue du menu
Selectie van menutaal









20 Einschalten der Antriebe
Switch-on of drives
Mise en marche de la pompe
Inschakelen van aandrijvingen



21




22





Level 2



≡	>	5.0	>	5.51	: 250 cm
	>			5.24	: [5.51] + 25 cm
	>			5.22	: 25 cm
	>			5.52	: [5.22] + 10 cm
	>			5.53	: [5.52] + 10 cm
	>			5.26	: -
		5.29	:		



Level 2



≡	>	1.0	>	1.04	: 1,2 bar
	>			1.05	: 3,5 (Hi-Multi3-24) / 4,4 (Hi-Multi3-25) / 4,9 (Hi-Multi3-45)
	>	3.0	>	3.02	: Auto
	>		>	3.06	: Auto



≡	>	3.0	>	3.03	: Auto
	>	5.0	>	5.05	: 0



Local contact at
www.wilo.com/contact

HYDROLYSE